



Nut Policy (Anaphylactic Shock)

Drawn up by	SLT
Date approved by LGB	3.2.21
Date of next review	Annually – Autumn Term 2022

Nut-Free Policy

Although we recognise that this cannot be guaranteed, Frederick Holmes School aims to be a Nut-Free school. This policy serves to set out all measures to reduce the risk to those children and adults who may suffer an anaphylactic reaction if exposed to nuts to which they are sensitive. The school aims to protect children who have allergies to nuts yet also help them, as they grow up, to take responsibility as to what foods they can eat and to be aware of where they may be put at risk. We do not allow nuts or nut products in school lunch boxes.

Our “Nut-Free Policy” means that the following items should not be brought into school:

- Packs of nuts
- Peanut butter sandwiches
- Fruit and cereal bars that contain nuts
- Chocolate bars or sweets that contain nuts
- Sesame seed rolls (children allergic to nuts may also have a severe reaction to sesame)
- Cakes made with nuts

We have a policy to not use nuts in any of our food prepared on site at our school. Our suppliers provide us with nut-free products. However, we cannot guarantee freedom from nut traces.

Definition

Anaphylaxis (also known as anaphylactic shock) is an allergic condition that can be severe and potentially fatal. Anaphylaxis is your body’s immune system reacting badly to a substance (an allergen), such as food, which it wrongly perceives as a threat. The whole body can be affected, usually within minutes of contact with an allergen, although sometimes the reaction can happen hours later.

Staff

Staff and volunteers must ensure they do not bring in or consume nut products in school and ensure they follow good hand washing practice. Caution must be taken at certain times of year such as Easter and Christmas. If Staff distribute confectionary, care must be taken to ensure that no nuts are included in the product. Fruit sweets such as Haribo are a better alternative. Particular products that are a cause for concern are: - Celebrations – Roses – Heroes – Quality Street.

All product packaging must be checked for warnings directed at nut allergy sufferers and if the following or similar are displayed, the product must not be used in school. Packaging must be checked for:

- Not suitable for nut allergy sufferers;
- This product contains nuts;
- This product may contain traces nuts; o Indicating this is unsuitable for school consumption.

Epi Pen trained staff are named First Aiders. Please check the posters around school for a list of qualified staff.

Parents and Carers

Parents and carers must notify staff of any known or suspected allergy to nuts and provide all medical and necessary information. This will be added to the child's care plan and if necessary a meeting organised with the class team. Homemade snacks or party food contributions must have a label detailing all ingredients present and the kitchen environment where the food was prepared must be nut free.

If you are unsure about a selection please speak to a staff member before bringing the food item into school. The school requests that parents and carers observe the nut-free policy and therefore do not include nuts, or any traces of nuts, in packed lunches.

Children

All children are regularly reminded about the good hygiene practice of washing hands before and after eating which helps to reduce the risk of secondary contamination. Likewise, children are reminded and carefully supervised to minimise the act of food sharing with their friends.

School trips/Residential visits

No child will be denied the opportunity to take part in school trips/residential visits because of allergy, unless advised by their GP. Treatments will be readily available throughout the trip, being carried either by the supervising adult. Group leaders and appropriate staff will have undertaken relevant training in the recognition and management of allergic reaction. Relevant emergency contact numbers will be carried by supervising staff. Relevant risk assessments will be carried out prior to school visit. The school will liaise with residential provider to ensure they can meet the child's requirements

Staff, Adult Visitors

School staff or adult visitors may also have allergic reactions. If a staff member has a known allergy they should ensure that this is communicated to the school's leadership team, school nurse and their class team. They should have their epi-pen with them at all times.

Health Plans and Emergency Response

We have individual Healthcare plans for children with allergies and Allergy Lists are displayed highlighting Healthcare plans in place, triggers, medication (Medication will be stored, administered and documented in accordance with our Administering Medicine Policy).

Symptoms

The symptoms of anaphylaxis usually start between three and sixty minutes after contact with the allergen. Less commonly they can occur a few hours or even days after contact. An anaphylactic reaction may lead to feeling unwell or dizzy or may cause fainting due to a sudden drop in blood pressure. Narrowing of the airways can also occur at the same time, with or without the drop in blood pressure. This can cause breathing difficulties and wheezing.

Other symptoms:

- Swollen eyes, lips, genitals, hands, feet and other areas (this is called angioedema)
- Itching
- Sore, red, itchy eyes

- Changes in heart rate
- A sudden feeling of extreme anxiety or apprehension
- Itchy skin or nettle-rash (hives)
- Unconsciousness due to very low blood pressure
- Abdominal cramps, vomiting or diarrhoea, or nausea and fever.

Anaphylaxis varies in severity. Sometimes it causes only mild itchiness and swelling, but in some people it can cause sudden death. If symptoms start soon after contact with the allergen and rapidly worsens, this indicates that the reaction is more severe.

EMERGENCY PROCEDURES FOR EXTREME ALLERGIC REACTION (ANAPHYLAXIS)

NB First person to fetch adrenaline kit as quickly as possible and school nurse (or someone trained to administer it).

1. Send the nearest adult to call 999 and give the following information:

- It is an emergency. The patient has collapsed with anaphylactic shock and is having difficulty breathing, (pronounced “anna-fill-ack-tick”)
- The Name and Date of Birth of the casualty the address and postcode of the school (Inglemire Lane, HU6 8JJ) and location within the school.

He or she should then wait at school entrance to direct ambulance crew to patient.

2. Sit or lie patient down ensuring head and shoulders are raised.

3. Adrenaline should be administered by appropriate person.

4. Remain with patient until ambulance arrives. Ideally the person should remain lying flat. Do not allow the person to get up suddenly.

5. If patient becomes unconscious place in recovery position and monitor airway/breathing.

6. Contact parent/carer.